

DUNAVOX

SPECIFICATION SHEET · EDITION 2026

Your kitchen. Your colour. Made to match.

Custom RAL colour wine coolers. A working reference for kitchen studios, architects and specifiers: choose the colour, check the model and complete the order form with your client.

Choosing a colour

6 signature colours, 16 ideas

RAL Classic chart


All 216 shades at a glance

Models & specs

20 models, drawings and CAD

Order form

Fillable — type, save, print



Full guide online

dunavox.com/ral-colour-wine-coolers

Visualisation. Colours shown are indicative.

Made to match the kitchen

The door is finished to the colour and surface you specify, so the appliance reads as part of the furniture.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover



RAL 6003
Olive green

RAL 5008
Grey blue

RAL 3012
Beige red

RAL 1019
Grey beige

Base white
DUNAVOX signature white

THE RAL COLOUR UNIVERSE · 2,531 SHADES

216 RAL Classic

Four-digit codes such as RAL 7016. The collection kitchen joiners specify most, shown in full in this sheet.

1,825 RAL Design System+

Seven-digit codes such as RAL 270 30 20, organised by hue, lightness and chroma.

490 RAL Effect

Codes with a hyphen such as RAL 110-1, including metallic shades marked -M.

Colour counts as published by RAL gGmbH. White shades are produced in DUNAVOX base white; other references are confirmed per order.

The colour in a real kitchen

Finished in a colour chosen for the surrounding cabinetry, the appliance stops reading as a separate object.

[Overview](#)[Inspiration](#)[Choosing](#)[RAL guide](#)[RAL chart](#)[Surface](#)[Models & specs](#)[Finishes](#)[Order](#)[Process](#)[Cover](#)

Grey-blue fronts: the appliance is built into the tall unit and reads as joinery.



A deep green finish matched to the cabinetry, set against brass and marble.

Visualisations. Colours in rendered images are indicative and do not represent a specific RAL reference.

Matching the joinery

Three things to agree with the joiner before the colour is ordered.

[Overview](#)[Inspiration](#)[Choosing](#)[RAL guide](#)[RAL chart](#)[Surface](#)[Models & specs](#)[Finishes](#)[Order](#)[Process](#)[Cover](#)

1 Use the joiner's reference

Ask the kitchen supplier for the exact RAL reference used on the fronts. Paint is mixed for each order, so where timing allows, finish the appliance first and match the fronts to it.

2 Match the surface too

A gloss appliance beside matt fronts will read as a different colour even at the same code. Specify the same surface as the cabinetry.

3 Check under the real light

Hold the physical sample in the kitchen in daylight and under the installed lighting. Colours shift considerably between the two.

Visualisation. Colours in rendered images are indicative and do not represent a specific RAL reference.

Start from the kitchen, not the chart

Six signature colours, plus 16 RAL Classic starting points for different interiors. Any other RAL shade can be requested, except white.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover


DUNAVOX SIGNATURE COLOURS

Six colours, guaranteed

Matched against DUNAVOX finish samples. Any other RAL colour can be requested with a physical sample; white is produced in DUNAVOX base white only.

RAL Classic chart >


Order checklist >




Black
RAL 9005



Brushed bronze
RAL 2013



Anthracite
RAL 7016



Base white
Milesi LKR 6 AB 14



Vintage green
RAL 6011




Gold
RAL 1035

Architectural dark


Dark fronts and strong lines. The appliance reads as part of a single monolithic wall.



RAL 9005
Jet black



RAL 9011
Graphite black



RAL 7021
Black grey



RAL 7016
Anthracite grey

WORKS WITH

Black stone, smoked oak, brass

Warm natural

Soft neutrals that sit quietly beside timber, linen tones and natural stone.



RAL 1014
Ivory



RAL 1001
Beige



RAL 1019
Grey beige



RAL 7044
Silk grey

WORKS WITH

Oak, travertine, linen, clay

Deep colour

A confident colour carried from the cabinet fronts onto the appliance.



RAL 6005
Moss green



RAL 5011
Steel blue



RAL 5008
Grey blue



RAL 3005
Wine red

WORKS WITH

Marble, brass, walnut

Muted heritage

Softened, greyed colours with a traditional or country character.



RAL 6021
Pale green



RAL 5024
Pastel blue



RAL 6011
Reseda green



RAL 3012
Beige red

WORKS WITH

Painted timber, terracotta, aged brass

Screen and print colours are indicative only. Shades outside the six signature colours need a physical colour sample.

DUNAVOX · RAL Specification Sheet · Edition 2026

5 / 18

How the RAL system works

The code, the colour families and the three RAL collections — what a specifier needs to know before choosing.

- Overview
- Inspiration
- Choosing
- RAL guide**
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

READING A CODE



FAMILY **RAL 7** SHADE **016**
Anthracite grey

In RAL Classic the first digit is the colour family — 7 is grey — and the remaining digits identify the shade. Quote the number together with the name: RAL recommends using both, to rule out mistakes such as transposed digits.

THE NINE FAMILIES

Click a family to open it in the chart

1000	Yellow and beige		30
2000	Orange		14
3000	Red		25
4000	Violet		12
5000	Blue		25
6000	Green		37
7000	Grey		38
8000	Brown		20
9000	White and black		15

THREE RAL COLLECTIONS

RAL Classic

216 shades · e.g. RAL 7016

Four-digit codes. The standard for powder coating and varnish, and the collection kitchen joiners specify most.

RAL Design System+

1,825 shades · e.g. RAL 270 30 20

Seven digits: hue, then lightness, then chroma. Specify it exactly as quoted on the joiner’s documents.

RAL Effect

490 shades · e.g. RAL 110-1

Codes with a hyphen, including 70 metallic shades marked -M. Confirm availability before ordering.

Colour charts guide the choice; the binding RAL Classic references are the RAL 840-HR (matt) and RAL 841-GL (gloss) registers.


Light and dark: reflectance (LRV)

Light reflectance value measures how much light a colour reflects, from 0 (none) to 100 (all), independent of hue.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

ALL 216 SHADES BY LIGHTNESS

More than half of RAL Classic sits in the three darkest tiers; light shades are a smaller part of the range



PUBLISHED LRV OF FAMILIAR KITCHEN SHADES

0 LRV	5 LRV	29 LRV	45 LRV	50 LRV	57 LRV	70 LRV	75 LRV	84 LRV	87 LRV
RAL 9005 Jet black	RAL 7016 Anthracite grey	RAL 1019 Grey beige	RAL 7044 Silk grey	RAL 1000 Green beige	RAL 7035 Light grey	RAL 1013 Oyster white	RAL 9001 Cream	RAL 9010 Pure white	RAL 9016 Traffic white

To make the appliance blend in

Choose a shade with an LRV close to the surrounding fronts. A small difference in LRV reads as a tonal match, even where the hue shifts slightly.

To make it stand out

UK accessibility guidance (BS 8300) treats a difference of about 30 LRV points as clearly visible contrast. Use that as a working minimum for a deliberate accent.

Where to find the value

LRV is listed per code in RAL documentation and in paint manufacturers' datasheets. Values vary slightly with the product and the surface finish.

LRV values are approximate, as published in paint-industry RAL references; they vary with the product and surface. Lightness grouping based on approximate sRGB values.

Six mistakes to avoid

The errors that cause most custom-colour disappointments — and how to prevent each one.

[Overview](#)[Inspiration](#)[Choosing](#)[RAL guide](#)[RAL chart](#)[Surface](#)[Models & specs](#)[Finishes](#)[Order](#)[Process](#)[Cover](#)

01

Choosing from a screen

Screens and printers cannot reproduce a RAL colour accurately, including this sheet. Confirm every choice on a physical sample.

SEE ALSO

[Order checklist: sample confirmation ›](#)

02

Relying on the name alone

Colour names are descriptive and translate differently. Quote the full reference — number and name — on every document.

SEE ALSO

[How a RAL code works ›](#)

03

Ignoring the surface

The same code in matt, high gloss or metallic reads as three different colours. Match the surface of the fronts.

SEE ALSO

[Matt, high gloss or metallic ›](#)

04

Judging a small chip

A colour spread across a full cabinet door usually reads lighter and more intense than on a small chip. Look at the largest sample available.

SEE ALSO

[Light and dark: reflectance \(LRV\) ›](#)

05

Checking in one light

Daylight and warm evening lighting shift a colour noticeably. Look at the sample in the room at both times of day.

SEE ALSO

[Matching the joinery ›](#)

06

Forgetting the interior

Shelf colour and interior lighting are specified separately and change how the whole appliance reads when the door is open.

SEE ALSO

[Shelves and interior lighting ›](#)

RAL Classic: all 216 shades

The complete RAL Classic collection for quick reference. Design System+ and Effect references can also be specified, subject to confirmation.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

1000 YELLOW AND BEIGE · 30 shades

1000	1001	1002	1003	1004	1005	1006	1007	1011	1012
Green beige	Beige	Sand yellow	Signal yellow	Golden yellow	Honey yellow	Maize yellow	Daffodil yellow	Brown beige	Lemon yellow
1013	1014	1015	1016	1017	1018	1019	1020	1021	1023
Oyster white	Ivory	Light ivory	Sulfur yellow	Saffron yellow	Zinc yellow	Grey beige	Olive yellow	Colza yellow	Traffic yellow
1024	LUMINOUS 1026	1027	1028	1032	1033	1034	PEARL EFFECT 1035	PEARL EFFECT 1036	1037
Ochre yellow	Luminous yellow	Curry	Melon yellow	Broom yellow	Dahlia yellow	Pastel yellow	Pearl beige	Pearl gold	Sun yellow

2000 ORANGE · 14 shades

2000	2001	2002	2003	2004	LUMINOUS 2005	LUMINOUS 2007
Yellow orange	Red orange	Vermillion	Pastel orange	Pure orange	Luminous orange	Luminous bright orange
2008	2009	2010	2011	2012	PEARL EFFECT 2013	2017
Bright red orange	Traffic orange	Signal orange	Deep orange	Salmon orange	Pearl orange	RAL orange

3000 RED · 25 shades

3000	3001	3002	3003	3004	3005	3007	3009	3011
Flame red	Signal red	Carmine red	Ruby red	Purple red	Wine red	Black red	Oxide red	Brown red

Approximate sRGB values, indicative only. White shades (9001–9022) are produced in DUNAVOX base white. Pearl and metallic shades: confirm with your retailer.

RAL Classic: all 216 shades (continued)

The complete RAL Classic collection for quick reference. Design System+ and Effect references can also be specified, subject to confirmation.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

3000 RED · continued

3012	3013	3014	3015	3016	3017	3018	3020	3022
Beige red	Tomato red	Antique pink	Light pink	Coral red	Rose	Strawberry red	Traffic red	Salmon pink
LUMINOUS 3024	LUMINOUS 3026	3027	3028	3031	PEARL EFFECT 3032	PEARL EFFECT 3033		
Luminous red	Luminous bright red	Raspberry red	Pure red	Orient red	Pearl ruby red	Pearl pink		

4000 VIOLET · 12 shades

4001	4002	4003	4004	4005	4006	4007	4008	4009	4010	PEARL EFFECT 4011	PEARL EFFECT 4012
Red lilac	Red violet	Heather violet	Claret violet	Blue lilac	Traffic purple	Purple violet	Signal violet	Pastel violet	Telemagenta	Pearl violet	Pearl blackberry

5000 BLUE · 25 shades

5000	5001	5002	5003	5004	5005	5007	5008	5009
Violet blue	Green blue	Ultramarine blue	Sapphire blue	Black blue	Signal blue	Brilliant blue	Grey blue	Azure blue
5010	5011	5012	5013	5014	5015	5017	5018	5019
Gentian blue	Steel blue	Light blue	Cobalt blue	Pigeon blue	Sky blue	Traffic blue	Turquoise blue	Capri blue
5020	5021	5022	5023	5024	PEARL EFFECT 5025	PEARL EFFECT 5026		
Ocean blue	Water blue	Night blue	Distant blue	Pastel blue	Pearl gentian	Pearl night blue		

Approximate sRGB values, indicative only. White shades (9001–9022) are produced in DUNAVOX base white. Pearl and metallic shades: confirm with your retailer.

RAL Classic: all 216 shades (continued)

The complete RAL Classic collection for quick reference. Design System+ and Effect references can also be specified, subject to confirmation.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

6000 GREEN · 37 shades

6000	6001	6002	6003	6004	6005	6006	6007	6008	6009
Patina green	Emerald green	Leaf green	Olive green	Blue green	Moss green	Grey olive	Bottle green	Brown green	Fir green
6010	6011	6012	6013	6014	6015	6016	6017	6018	6019
Grass green	Reseda green	Black green	Reed green	Yellow olive	Black olive	Turquoise green	May green	Yellow green	Pastel green
6020	6021	6022	6024	6025	6026	6027	6028	6029	6032
Chrome green	Pale green	Brown olive	Traffic green	Fern green	Opal green	Light green	Pine green	Mint green	Signal green
6033	6034	PEARL EFFECT 6035	PEARL EFFECT 6036	6037	LUMINOUS 6038	6039			
Mint turquoise	Pastel turquoise	Pearl green	Pearl opal green	Pure green	Luminous green	Fibrous green			

7000 GREY · 38 shades

7000	7001	7002	7003	7004	7005	7006	7008	7009	7010
Squirrel grey	Silver grey	Olive grey	Moss grey	Signal grey	Mouse grey	Beige grey	Khaki grey	Green grey	Tarpaulin grey
7011	7012	7013	7015	7016	7021	7022	7023	7024	7026
Iron grey	Basalt grey	Brown grey	Slate grey	Anthracite grey	Black grey	Umbra grey	Concrete grey	Graphite grey	Granite grey

Approximate sRGB values, indicative only. White shades (9001–9022) are produced in DUNAVOX base white. Pearl and metallic shades: confirm with your retailer.

RAL Classic: all 216 shades (continued)

The complete RAL Classic collection for quick reference. Design System+ and Effect references can also be specified, subject to confirmation.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

7000 GREY • continued

7030	7031	7032	7033	7034	7035	7036	7037	7038	7039
Stone grey	Blue grey	Pebble grey	Cement grey	Yellow grey	Light grey	Platinum grey	Dusty grey	Agate grey	Quartz grey
7040	7042	7043	7044	7045	7046	7047	PEARL EFFECT 7048		
Window grey	Traffic grey A	Traffic grey B	Silk grey	Telegrey 1	Telegrey 2	Telegrey 4	Pearl mouse grey		

8000 BROWN • 20 shades

8000	8001	8002	8003	8004	8007	8008	8011	8012	8014
Green brown	Ochre brown	Signal brown	Clay brown	Copper brown	Fawn brown	Olive brown	Nut brown	Red brown	Sepia brown
8015	8016	8017	8019	8022	8023	8024	8025	8028	PEARL EFFECT 8029
Chestnut brown	Mahogany brown	Chocolate brown	Grey brown	Black brown	Orange brown	Beige brown	Pale brown	Terra brown	Pearl copper

9000 WHITE AND BLACK • 15 shades


9001	9002	9003	9004	9005	METALLIC 9006	METALLIC 9007	9010
Cream	Grey white	Signal white	Signal black	Jet black	White aluminium	Grey aluminium	Pure white
9011	9012	9016	9017	9018	PEARL EFFECT 9022	PEARL EFFECT 9023	
Graphite black	Clean room white	Traffic white	Traffic black	Papyrus white	Pearl light grey	Pearl dark grey	

Approximate sRGB values, indicative only. White shades (9001–9022) are produced in DUNAVOX base white. Pearl and metallic shades: confirm with your retailer.

Matt, high gloss or metallic

Every order specifies two things: the RAL reference and the surface. The same colour reads differently in each finish.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover



Matt

Low reflectivity, no gloss. Always a smooth surface — a rough or textured matt is not offered. Every RAL colour can be made in matt.


COLOUR DEPTH	Soft, slightly lighter
REFLECTION	Diffuse from every angle
BEST SUITED TO	Stone, timber, textured fronts



High gloss

Reflects the room. Reads deeper and more saturated, with a lacquered character.

COLOUR DEPTH	Deep and saturated
REFLECTION	Mirrors light and surroundings
BEST SUITED TO	Handleless, lacquered kitchens



Metallic

Metallic particles are mixed into the chosen colour for a glossy metallic effect that shifts with the light.

COLOUR DEPTH	Shifts with the light
REFLECTION	Glossy, with a metallic sheen
BEST SUITED TO	Statement and accent pieces

WHAT TO EXPECT FROM A PAINTED DOOR

What is painted

The door frame, handle, ventilation grille and hinges are finished in the same colour and surface. Soft-close hinges cannot be painted. Painting is carried out on the stainless-steel version of the appliance.

Colour accuracy

The paint is mixed in a small batch for each order, so the match is around 90%, and can be lower for shades outside the six signature colours. Where timing allows, finish the appliance first and match the cabinet fronts to it.

Details and care

Painted handles cannot be polished afterwards, and the stainless frame beside the glass is very narrow, so small paint marks can remain at these points. Clean painted surfaces with glass cleaner only.

A practical rule

Match the surface of the surrounding fronts. A different finish beside the cabinetry reads as a different colour, even at the same RAL reference.

20 appliances in a custom RAL colour

Choose the collection by installation, then the model. Documents open the installation drawing, datasheet and CAD file.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

WHICH COLLECTION FITS THE KITCHEN?

Horizon

Fully integrated

Push-to-open door, 59 cm wide. Four heights, 19 to 70 bottles.

Spirit

Fully integrated

Door handle, 59 cm wide. Four heights, 19 to 70 bottles.

Flow

Undercounter or freestanding

14.5 to 59.5 cm wide, about 82 cm high. Fits under the worktop.

Grande

Freestanding or built-in

Large capacity: 166 to 183 bottles, full height.

Joy

Built-in

Three independent zones in one tall column.

DUNAVOX HORIZON Fully integrated · push-to-open

MODEL	PRODUCT CODE	EAN	H × W × D (MM)	INSTALLATION	ZONES	BOTTLES	NOISE	ENERGY	DOCUMENTS
HORIZON-19	DVH-19.50C.TO	5999558436117	455 × 590 × 559	Integrated / undercounter	Single	19	37 dB	F	Datasheet
HORIZON-25	DVH-25.65DC.TO	5999558436124	595 × 590 × 563	Integrated / undercounter	Dual	25	36 dB	F	Drawing Datasheet CAD
HORIZON-44	DVH-44.120DC.TO	5999558436131	882 × 590 × 563	Integrated / undercounter	Dual	44	36 dB	F	Drawing Datasheet
HORIZON-70	DVH-70.185DC.TO	5999558436148	1235 × 590 × 571	Fully integrated	Dual	70	36 dB	F	Drawing Datasheet CAD

DUNAVOX SPIRIT Fully integrated · door handle

MODEL	PRODUCT CODE	EAN	H × W × D (MM)	INSTALLATION	ZONES	BOTTLES	NOISE	ENERGY	DOCUMENTS
SPIRIT-19	DVS-19.50C	5999558436032	455 × 590 × 550	Integrated / undercounter	Single	19	37 dB	F	Drawing Datasheet
SPIRIT-25	DVS-25.65DC	5999558436049	595 × 590 × 550	Integrated / undercounter	Dual	25	36 dB	F	Drawing Datasheet
SPIRIT-44	DVS-44.120DC	5999558436056	882 × 590 × 550	Integrated / undercounter	Dual	44	36 dB	F	Drawing Datasheet
SPIRIT-70	DVS-70.185DC	5999558436063	1235 × 590 × 562	Fully integrated	Dual	70	36 dB	F	Drawing Datasheet

DUNAVOX JOY Built-in

MODEL	PRODUCT CODE	EAN	H × W × D (MM)	INSTALLATION	ZONES	BOTTLES	NOISE	ENERGY	DOCUMENTS
JOY-89	DX-89.246TC	5999558436285	1786 × 595 × 559	Built-in only	Triple	95	38 dB	G	Drawing Datasheet CAD

Specifications from the DUNAVOX product data. The custom-colour version shares the specification of the other door options of the same model.

20 appliances in a custom RAL colour (continued)

Choose the collection by installation, then the model. Documents open the installation drawing, datasheet and CAD file.

- Overview
- Inspiration
- Choosing
- RAL guide
- RAL chart
- Surface
- Models & specs
- Finishes
- Order
- Process
- Cover

DUNAVOX FLOW Undercounter and freestanding

MODEL	PRODUCT CODE	EAN	H × W × D (MM)	INSTALLATION	ZONES	BOTTLES	NOISE	ENERGY	DOCUMENTS		
FLOW-8	DAUF-8.23C	5999558436513	820 × 145 × 548	Undercounter	Single	9	39 dB	G	Drawing	Datasheet	CAD
FLOW-17	DAUF-17.58DC	5999558435752	815 × 295 × 570	Undercounter	Dual	17	39 dB	G	Drawing	Datasheet	CAD
FLOW-19	DAUF-19.58C	5999558435776	815 × 295 × 570	Undercounter	Single	19	39 dB	G	Drawing	Datasheet	
FLOW-32	DAUF-32.83C	5999558435790	820 × 380 × 563	Undercounter / freestanding	Single	32	39 dB	F	Datasheet		
FLOW-32D	DAUF-32.78DC	5999558435813	820 × 380 × 563	Undercounter / freestanding	Dual	32	39 dB	G	Drawing	Datasheet	CAD
FLOW-39	DAUF-39.121DC	5999558435851	820 × 595 × 565	Undercounter / freestanding	Dual	39	38 dB	F	Drawing	Datasheet	
FLOW-46	DAUF-46.138C	5999558435875	820 × 595 × 565	Undercounter / freestanding	Single	46	39 dB	G	Drawing	Datasheet	
FLOW-46D	DAUF-46.145DC	5999558435882	820 × 595 × 590	Undercounter / freestanding	Dual	46	39 dB	G	Drawing	Datasheet	

DUNAVOX GRANDE Large-capacity cabinets

MODEL	PRODUCT CODE	EAN	H × W × D (MM)	INSTALLATION	ZONES	BOTTLES	NOISE	ENERGY	DOCUMENTS		
GRANDE-166	DX-166.428DCK	5999558435967	1770 × 595 × 680	Freestanding / built-in	Dual	166	39 dB	G	Drawing	Datasheet	
GRANDE-181	DX-181.490DCK	5999558435974	1835 × 655 × 680	Freestanding / built-in	Dual	181	40 dB	G	Drawing	Datasheet	
GRANDE-194	DX-194.490CK	5999558435981	1835 × 655 × 680	Freestanding / built-in	Single	183	40 dB	G	Drawing	Datasheet	

Planning the niche

The colour is only one part of the specification. Built-in, integrated and undercounter models need the ventilation openings and clearances shown in the installation drawing of each model. Agree them with the joiner before the cabinetry is made.

[Built-in installation guide](#) >

Other collections and models are offered in standard finishes only. Specifications and availability may vary by production batch — confirm with your retailer before ordering.

Shelves and standard finishes

The interior is specified separately from the exterior, and a custom colour is not always the right answer.


[Overview](#)
[Inspiration](#)
[Choosing](#)
[RAL guide](#)
[RAL chart](#)
[Surface](#)
[Models & specs](#)
[Finishes](#)
[Order](#)
[Process](#)
[Cover](#)

Shelf colour


The shelf fronts are seen every time the door opens, and through the glass even when it is closed. The natural beech shelves can be pickled in Mahogany, Dark walnut or Black, so the interior follows the same design idea as the cabinet. These three are the only shelf colours offered.



Mahogany



Dark walnut



Black

Pickled natural beech, shown in DUNAVOX finish samples. Lead time is around six weeks.

Standard finishes

Generally available with shorter lead times. Confirm current stock with your retailer.

Black glass

The default across the range. Recessive and consistent with most contemporary appliance suites.

Stainless steel

Professional and semi-professional kitchens, and rooms where other appliances are already stainless.

Matt black

Kitchens built around texture rather than reflection. A deliberate design choice, not a neutral default.

Overlay panel

Selected models accept a furniture panel, so the appliance disappears behind a cabinet front.

Interior lighting

The interior LED can be set to white, blue or a warm tone, depending on the model. See the user manual of the specific appliance for its options.

Order checklist

Complete on screen or in print. Everything needed to quote and place a custom-colour order.

Overview

Inspiration

Choosing

RAL guide

RAL chart

Surface

Models & specs

Finishes

Order

Process

Cover

Choose the collection first – model list, product code and installation follow automatically. Save whole PDF keeps your entries; Print this page prints the checklist only.

01 PROJECT AND APPLIANCE

PROJECT / CLIENT REFERENCE	DATE	QUANTITY *
COLLECTION *	MODEL *	INSTALLATION *
Select...	Select...	Select...
CUSTOM-COLOUR PRODUCT CODE (AUTO)	SPECIFICATION (AUTO)	

02 COLOUR, SURFACE AND INTERIOR

COLOUR TYPE *	SIGNATURE COLOUR	RAL REFERENCE (NUMBER AND NAME)
Select...	Select...	
e.g. RAL 3012 Beige red · RAL whites are not offered		
SURFACE FINISH *	SHELF COLOUR *	DOOR HINGE SIDE *
☐ Matt ☐ High gloss ☐ Metallic	Select...	Select...
☐ A physical colour sample will be sent with the order – required for all colours outside the six signature colours.		

03 CONFIRMED BY RETAILER

LEAD TIME	PRICE	RETAILER / CONTACT
☐ Colour, surface and model availability confirmed		
Clear form		Print this page
Save whole PDF >		

Typical lead time is around six weeks from the confirmed order; shipping can add about a week. Price and return conditions are confirmed by your retailer.

PROCESS

How a custom-colour order works

Five steps from specification to delivery.

[Overview](#)[Inspiration](#)[Choosing](#)[RAL guide](#)[RAL chart](#)[Surface](#)[Models & specs](#)[Finishes](#)[Order](#)[Process](#)[Cover](#)

01

Choose the appliance

Select the model and configuration first. Capacity, zones and installation type are fixed at this stage.

02

Choose the RAL reference

A signature colour or any RAL shade except white. Other shades need a physical colour sample.

03

Choose the surface

Matt, high gloss or metallic, specified separately from the colour. It cannot be changed once production begins.

04

Order through your retailer

Custom finishes are ordered through an authorised DUNAVOX retailer, who confirms price and delivery.

05

Production and delivery

Painting takes around six weeks from the confirmed order. The appliance is delivered complete.

USEFUL LINKS

Product support and manuals

User manuals and datasheets for every appliance



Built-in installation guide

Ventilation and clearance requirements



Full RAL guide online

Colours, kitchens and FAQ on dunavox.com



SPECIFYING FOR A PROJECT?

Tell us the RAL reference and the model.

Our team works with kitchen studios, architects and specifiers on custom finishes.

[Request a quote by email](#)dunavox.com/contact